


14



LEGEND

INTERSECTIONS

150 FEET Y-LINE

CATEGORY

\$	50 and Above
#	40 to 49
"	30 to 39
!	20 to 29
!	10 to 19
!	4 to 9

SECTIONS

0 FEET Y-LINE

CATEGORY



— 50 and above
— 40 to 49
— 30 to 39
— 20 to 29
— 10 to 19
— 4 to 9

DOT ROADS

ROUTE TYPE

NOTES

- The locations (Intersections and sections) are based on reported and the mileposted crashes.
- The sections depicted are the top 21% of the high frequency crash sections.
- The sections do not include crashes that are within 150 feet of the intersections
- The Intersections depicted include locations with 4 or more crashes.

<p align="center">TRAFFIC SAFETY SYSTEMS MANAGEMENT UNIT</p> <p>   </p> <p> <small> NORTHWEST ASSESSMENT PROCESS SAFETY INFORMATION MANAGEMENT AND SUPPORT STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION </small> </p> <p>SAFETY EVALUATION</p>		<p align="center">TRAFFIC SAFETY</p>
<p>HIGH FREQUENCY CRASH LOCATION MAP</p> <p align="center">GRAHAM COUNTY</p> <p align="center">(JANUARY 1, 2003 TO DECEMBER 31, 2007)</p>		<p>HIGH FREQUENCY CRASH LOCATION MAP</p> <p> DIVISION: 14 BLUE RIDGE REGION STUDY PERIOD: 01/01/2003 TO 12/31/2007 ANALYSIS PREPARED BY: STEPHEN LOWERY, P.E. DIAGRAM PREPARED BY: E.A. DIAZ WILEY DIAGRAM REVIEWED BY: C.J. OLIVER, PE </p> <p> SCALE: AS SHOWN DATE: 01/31/2009 LOG NUMBER: </p>

**N.C. DEPARTMENT of TRANSPORTATION
DIVISION of TRANSPORTATION SAFETY AND MOBILITY
TRAFFIC ENGINEERING AND SAFETY SYSTEMS BRANCH**

**GRAHAM COUNTY
INTERSECTIONS**

NUMBER	CITY	LOCATIONS	CRASHES	CATEGORY
1	ROBBINSVILLE	US 129 at NC 143	10	10 to 19
2	RURAL	NC 143 at SR 1134	8	4 to 9
3	RURAL	NC 28 at NC 143	6	4 to 9
4	RURAL	NC 143 at SR 1214	5	4 to 9
5	ROBBINSVILLE	US 129 at SR 1106	5	4 to 9
6	RURAL	US 129 at SR 1117	4	4 to 9
7	ROBBINSVILLE	US 129 at SR 1156	4	4 to 9
8	ROBBINSVILLE	US 129 at SR 1138	4	4 to 9
9	RURAL	NC 143 at SR 1282	4	4 to 9

**GRAHAM COUNTY
SECTIONS**

NUMBER	ROUTE	FROM ROAD	TO ROAD	CRASHES	CATEGORY
1	NC 143	SL-TN	SR 1159	80	50 and Above
2	NC 28	CL-MACON	SR 1200	38	30 to 39
3	NC 143	SR 1282	NC 28	24	20 to 29
4	NC 28	SR 1246	CL-SWAIN	23	20 to 29
5	NC 143	SR 1115	SR 1118	17	10 to 19
6	NC 143	SR 1137	SR 1153	15	10 to 19
7	NC 28	SR 1200	SR 1201	12	10 to 19
8	NC 28	SR 1263	SR 1245	11	10 to 19
9	NC 28	SR 1241	NATIONAL FOREST	10	10 to 19
10	NC 28	NC 143	SR 1259	10	10 to 19
11	NC 28	SR 1286	SR 1234	10	10 to 19
12	NC 28	SR 1143	SR 1123	9	4 to 9
13	NC 28	SR 1247	SR 1154	9	4 to 9
14	NC 28	SR 1155	SR 1275	7	4 to 9
15	NC 143	SR 1148	SR 1125	7	4 to 9